

## Author Index of Volumes A46 and A47

- Acero, M.C., 46, 22  
Affane, W., 47, 584  
Ahmed, E., 47, 395  
Armitage, A.D., 47, 542  
Arnaud, G., 46, 71  
Audaire, L., 47, 403  
Ayela, F., 46, 312  
Ayerdi, I., 46, 218
- Baillieu, F., 46, 190; 47, 470  
Baltes, H., 46, 143, 280, 284, 289; 47, 428, 572, 632  
Barbier, D., 46, 76, 166  
Bartsch, W., 46, 302  
Bauer, F., 47, 403  
Bayford, R., 47, 342  
Becourt, N., 46, 71  
Belin, M., 47, 598  
Benech, P., 47, 478  
Benítez, M.A., 46, 58  
Benlarbi-Delaï, A., 46, 239  
Benyattou, T., 46, 298  
Berry, J.P., 46, 190  
Bertrand, J., 47, 494  
Biebl, M., 47, 593  
Bieth, C., 46, 213  
Binggeli, M., 47, 562  
Birch, T.S., 47, 584  
Bird, N.C., 47, 444  
Blasquez, G., 46, 121  
Blind, P., 46, 179  
Bonjour, C., 46, 179  
Bono, H., 46, 8  
Bonse, M.H.W., 46, 266  
Bonvalot, B., 46, 38  
Börner, M.W., 46, 62  
Bossche, A., 47, 623  
Bowen, M., 47, 516, 521  
Boyer, A., 47, 387  
Bret, J.L., 46, 312  
Bretagnon, T., 46, 43  
Brignell, J.E., 47, 525, 534  
Brugger, J., 47, 562  
Brussel, H.V., 46, 225  
Bühler, J., 47, 572, 632  
Burrer, C., 46, 22, 133, 185  
Bustarret, E., 46, 166  
Butcher, J.B., 47, 342
- Caliano, G., 46, 176  
Camassel, J., 46, 71  
Camon, H., 46, 27, 82; 47, 645  
Campabadal, F., 46, 133  
Cané, C., 46, 133  
Carmona, M., 47, 613  
Castagnetti, R., 46, 280, 284  
Castaño, E., 46, 161, 218  
Cemeli, P., 46, 38  
Chang, V., 47, 332, 337  
Chauffleur, X., 46, 121  
Chaussy, J., 46, 312  
Chen, Q.X., 47, 542  
Chevalier, Y., 47, 598  
Choujaa, A., 46, 179  
Chovelon, J.M., 47, 357, 598  
Chovet, A., 46, 298  
Ciampolini, P., 47, 618  
Clark, C., 47, 566  
Cléchet, P., 47, 598  
Collard, D., 47, 628  
Conédéra, V., 46, 82  
Contreras, S., 46, 71  
Covillers, J.P., 46, 239  
Csepregi, L., 46, 35  
Culshaw, B., 47, 463  
Curling, C.J., 47, 444
- Danel, J.S., 46, 17  
Dauderstädt, U.A., 46, 201  
de Bree, H.-E., 47, 369  
de Castro, A.J., 47, 417  
De Cicco, G., 46, 261  
Dehé, A., 47, 432  
Delapierre, G., 46, 8, 213  
Delaye, M.T., 46, 8  
Del Medico, S., 46, 298  
de Rooij, N.F., 47, 562, 640  
de Samber, M.A., 46, 147  
Devos, F., 47, 456  
De Vries, P.H.S., 46, 201  
Dezauzier, C., 46, 71  
Diddens, D., 46, 225  
Diem, B., 46, 8, 190  
Dijkstra, F., 47, 380  
Dilhan, M., 46, 43  
Djafari-Rouhani, M., 47, 399
- Ebersohl, J.Ph., 46, 190  
Edlinger, J., 47, 482  
Elderstig, H., 46, 95  
Elwenspoek, M., 47, 369  
Engelmann, G., 46, 98
- Enoksson, P., 47, 327  
Estève, D., 47, 399, 403, 497, 530  
Esteve, J., 46, 22, 133, 185
- Fabre, N., 46, 82  
Fichtner, W., 46, 289  
Filser, H., 47, 353  
Fleury, G., 47, 364  
Fluitman, J.H.J., 47, 369  
Folkmer, B., 46, 137; 47, 637  
Foucaran, A., 46, 43  
Fraigi, L., 46, 222  
Fraisie, B., 46, 43  
France, C.M., 47, 474  
Francou, M., 46, 17  
Franques, D., 47, 399, 403  
Frantti, J., 46, 104  
Fricke, K., 46, 30; 47, 432  
Fromhein, O., 46, 196  
Fuhr, G., 46, 66  
Funk, J., 47, 572, 632
- Gale, M.T., 47, 482  
García-Alonso, A., 46, 218  
García-Golding, F., 47, 337  
Gärtner, K., 46, 289  
Gaugitsch, M., 46, 257  
Geiger, W., 47, 557  
Gemmeke, H., 46, 196  
Gendry, M., 46, 298  
George, I., 46, 38  
Gerlach, G., 46, 171  
Giallorenzo, M., 47, 337  
Girard, A., 46, 38  
Gottardi, M., 46, 251; 47, 439  
Götz, A., 46, 22, 133  
Gracia, F.J., 46, 161, 218  
Grange, H., 46, 213  
Gué, A.M., 46, 43  
Guillot, G., 46, 298  
Gunawan, D.S., 47, 580
- Haberl, F., 46, 257  
Habibi, M., 46, 125; 47, 453  
Harsányi, G., 46, 85  
Hartnagel, H.L., 46, 30; 47, 432  
Hatfield, J.V., 47, 542  
Hauden, D., 46, 179  
Hauser, H., 46, 257, 320; 47, 588  
Hegnauer, S., 46, 244  
Hellesø, O.G., 47, 478
- Henke, W., 46, 89  
Hicks, P.J., 47, 542  
Hierold, C., 47, 593  
Higelin, G., 46, 47  
Hill, A.E., 47, 395  
Hintsche, R., 46, 66  
Hiratsuka, R., 46, 201  
Hochreiter, J., 46, 257  
Hodge, A.M., 46, 205  
Hollinger, G., 46, 298  
Holm, U., 47, 487  
Holzenkämpfer, E., 47, 422  
Hoppe, W., 46, 89  
Horst, D., 46, 125; 47, 453  
Ho-Tran, T.P.L., 46, 147  
Houkes, Z., 47, 380
- Indermühle, P.-F., 47, 562  
Iula, A., 46, 176
- Jacobs-Cook, A.J., 47, 566  
Jaecklin, V.P., 47, 562  
Jaffrezic-Renault, N., 47, 598  
Jaussaud, C., 46, 71  
Jones, B.E., 47, 474, 491, 566  
Jouannet, J.-P., 47, 509
- Kádár, Z., 47, 623  
Kallfass, T., 46, 125; 47, 453  
Kälvesten, E., 46, 151  
Kemhadjian, H., 46, 51  
Kersjes, R., 47, 373  
Kharaz, A., 47, 491  
Killat, D., 46, 315  
King, D.O., 46, 205  
Kleimann, P., 46, 76  
Klose, H., 47, 593  
Kluge, S., 47, 557  
Köhler, C., 46, 66  
Kordjani, N., 47, 537  
Korvink, J.G., 47, 632  
Kowal, J., 46, 113  
Kriegl, W., 47, 637  
Krömer, O., 46, 196  
Kühner, T., 46, 196  
Kunz, R.E., 47, 482
- Labatzki, A., 47, 353  
Lajoie-Mazenc, M., 47, 645  
Lamberti, N., 46, 176  
Lammasniemi, J., 47, 501  
Lammerink, T.S.J., 47, 369, 380

- Lang, W., 46, 35; 47, 637  
 Lange, V., 46, 47  
 Langheinrich, W., 46, 294, 315  
 Lappalainen, J., 46, 104  
 Leancu, R., 46, 35  
 Le Berre, M., 46, 76, 166  
 Lecoy, P., 47, 470  
 Lee, P., 47, 449  
 Lefèvre, Y., 47, 645  
 Lefort, O., 46, 129  
 Le Hung, F., 46, 190  
 Leidl, A., 47, 353  
 Lemiti, M., 46, 76, 166  
 Leppävuori, S., 46, 104; 47, 391, 395  
 Lerch, Ph., 47, 640  
 Leroy, Y., 46, 239  
 Lescure, M., 47, 494  
 Levoska, J., 47, 395  
 Lin, G., 46, 233  
 Lin, L.-Y., 47, 580  
 Linder, C., 47, 562  
 Lindner, E., 46, 137  
 Lisec, T., 46, 66  
 Löchel, B., 46, 98  
 Löfdahl, L., 46, 151  
 López, F., 47, 417  
 López-Villegas, J.M., 46, 58  
 Lozano, M., 46, 133  
 Łoziński, A.H., 47, 391  
 Lueder, E., 46, 125; 47, 453  
 Luttenbacher, D., 47, 509
- Maciossek, A., 46, 98  
 Maeder, C., 46, 213  
 Mahrane, A., 47, 399, 497  
 Malatto, L., 46, 222  
 Malcovati, P., 46, 284  
 Malki, A., 47, 470  
 Maloberti, F., 46, 247, 284  
 Mandle, J., 46, 129  
 Marco, S., 46, 133; 47, 613  
 Marszalec, J., 47, 501  
 Martelet, C., 47, 357, 598  
 Martin, G., 46, 179  
 Martinez, D., 47, 530  
 Marty, J., 47, 470  
 Masoero, A., 46, 261  
 Massone, E., 46, 43  
 Mathieu, N., 46, 298  
 McKenzie, J.S., 47, 566  
 Meléndez, J., 47, 417  
 Mena, M., 47, 332  
 Meneses, J., 47, 417  
 Miao, J., 46, 30  
 Michel, F., 46, 8  
 Migeon, A., 46, 129  
 Mihai, G., 46, 261  
 Millan, A., 47, 332  
 Mohr, J., 46, 196  
 Moilanen, H., 46, 104
- Moktadir, Z., 46, 27  
 Mokwa, W., 47, 373  
 Moldovan, N., 46, 35  
 Mollinger, J., 47, 623  
 Montané, E., 46, 58  
 Montès, L., 46, 43  
 Morante, J.R., 46, 58; 47, 613  
 Moreno, N., 47, 337  
 Morten, B., 46, 261  
 Mul, C., 46, 266  
 Mullins, M.A., 47, 342  
 Münch, H.-J., 46, 62  
 Murphy, M.C., 46, 62  
 Myllylä, R., 47, 501  
 Mzerd, A., 47, 387
- Najmi, A., 47, 399, 497  
 Nakladal, A., 46, 171  
 Nielsen, O.V., 46, 307  
 Nothelfer, U., 46, 156
- Obieta, I., 46, 161  
 Obrist, B., 46, 244  
 Offereins, H.L., 46, 137  
 Oksman, J., 47, 537  
 Olsson, A., 47, 549  
 Oustric, M., 46, 298
- Pahun, L., 46, 133  
 Pappalardo, M., 46, 176  
 Paratte, L., 47, 640  
 Pascual, J., 46, 71  
 Patat, F., 47, 357  
 Paul, O., 46, 143; 47, 428, 572  
 Payne, P.A., 47, 542  
 Peccoud, L., 46, 17  
 Pember, A., 46, 51  
 Pember, S.J., 47, 474  
 Perez, H., 47, 598  
 Petersen, J.R., 46, 307  
 Pham, H.H., 46, 82  
 Pham, V.V., 47, 403  
 Philipsborn, H.v., 47, 593  
 Pierantoni, A., 47, 618  
 Pilkington, R.D., 47, 395  
 Pilz, W., 46, 89  
 Pinard, P., 46, 76, 166  
 Pister, K.S.J., 46, 233; 47, 576, 580  
 Plaza, J.A., 46, 133  
 Plettner, A., 46, 137  
 Pommier, C., 46, 179  
 Pône, J.-F., 47, 456  
 Pons, P., 46, 121  
 Ponthenier, J.L., 46, 71  
 Poux, M., 47, 494  
 Primdahl, F., 46, 307  
 Prudenziati, M., 46, 261
- Quad, R., 47, 422  
 Quenzer, H.J., 46, 89, 98
- Ranta, A., 46, 307  
 Regtien, P.P.L., 47, 408  
 Reimer, K., 46, 66  
 Renard, S., 46, 8, 190, 213  
 Renaude, Ph., 47, 640  
 Renouf, C., 47, 470  
 Rey, P., 46, 8, 190  
 Reynaerts, D., 46, 225  
 Riba, J.-P., 47, 349  
 Riccobene, C., 46, 289  
 Richter, A., 47, 557  
 Richter, M., 47, 557  
 Rimet, R., 47, 478  
 Ripka, P., 46, 307  
 Rivière, J.-M., 47, 509  
 Robert, J.L., 46, 71, 166  
 Robert, M., 47, 509  
 Rogers, T., 46, 113  
 Romanowicz, B., 47, 640  
 Rombach, P., 46, 294  
 Roos, K.P., 46, 233  
 Ross, M., 47, 576  
 Rossberg, D., 47, 413  
 Roumenin, Ch.S., 46, 273  
 Rousset, B., 46, 82  
 Rubio, C., 46, 58; 47, 613  
 Rück, D., 46, 30  
 Rudan, M., 47, 618  
 Ruiz, O., 46, 58; 47, 613  
 Rupp, G., 46, 302
- Sackda, A., 47, 387  
 Sager, K., 46, 171  
 Samitier, J., 46, 58; 47, 613  
 Sandmeier, H., 46, 137  
 Santander, J., 46, 133  
 Sarraute, E., 47, 645  
 Sarro, P.M., 46, 201  
 Sartori, A., 46, 247; 47, 439, 449  
 Scales, N.R., 47, 542  
 Schaber, U., 46, 137  
 Scheiter, T., 47, 593  
 Schellin, R., 46, 156  
 Schelter, W., 46, 302  
 Schieferdecker, J., 47, 422  
 Schmitt, N., 47, 357  
 Schnakenberg, U., 46, 66  
 Schneider, M., 46, 280  
 Schomburg, W.K., 46, 62  
 Schroth, A., 46, 171  
 Schulze, M., 47, 422  
 Schuster, G., 46, 156  
 Seitz, S., 46, 137  
 Semmache, B., 46, 76  
 Setiadi, D., 47, 408  
 Sicart, J., 46, 166  
 Siegardner, J., 47, 453  
 Simoni, A., 46, 247; 47, 439, 449  
 Simonne, J.J., 47, 403, 497
- Sixt, P., 47, 482  
 Smith, G., 47, 516, 521  
 Smith, J., 46, 51  
 Sohlström, H., 47, 487  
 Solano, C., 46, 82  
 Spronck, J.W., 46, 266  
 Steger, U., 46, 137  
 Steiner, F.-P., 47, 572  
 Steiner, P., 47, 637  
 Steinmetz, D., 47, 494  
 Stemme, E., 47, 327, 549  
 Stemme, G., 46, 151; 47, 327, 549  
 Strecker, M., 46, 156  
 Strohrmann, M., 46, 196  
 Suski, J., 46, 38; 47, 628  
 Svantesson, K., 47, 487
- Taliercio, T., 46, 43  
 Taner, A.H., 47, 525  
 Tardy, J., 46, 298  
 Tcheliébou, F., 47, 387  
 Tessier, L., 47, 357  
 Tirole, N., 46, 179  
 Tomlinson, R.D., 47, 395  
 Torelli, G., 46, 247; 47, 449
- Ulrich, J., 47, 557  
 Uusimäki, A., 47, 391
- van Berkel, C., 47, 444  
 van Kuijk, J., 47, 369, 380  
 van Putten, A.F.P., 47, 342  
 Venet, T., 46, 298  
 Vialaret, G., 47, 497  
 Viollet Bosson, S., 46, 8  
 Vitt, M., 46, 62  
 von Arx, M., 47, 428  
 Vorlíček, K., 46, 320
- Wachutka, G., 46, 289; 47, 603  
 Wagener, M., 46, 38  
 Wagner, B., 46, 66, 89, 98  
 Wallgren, P., 46, 95  
 Wang, Z.Z., 47, 628  
 Ward, M.C.L., 46, 205  
 Weber, J., 46, 137
- Xuereb, C., 47, 349
- Young, D.C., 47, 534
- Zambrano, A., 47, 332  
 Zarrad, H., 47, 598  
 Zarudiansky, A., 46, 38  
 Zengerle, R., 47, 557  
 Zhang, M., 47, 456  
 Zimmermann, L., 46, 190  
 Zinner, H., 46, 1  
 Zorat, A., 47, 439  
 zur Horst-Meyer, S., 46, 62

## Subject Index of Volumes A46 and A47

### Acceleration sensors

- high-precision readout circuit for LIGA acceleration sensors, 46, 196

### Accelerometers

- a novel resonant silicon accelerometer in bulk-micromachining technology, 46, 185
- airbag application: a microsystem including a silicon capacitive accelerometer, CMOS switched capacitor electronics and true self-test capability, 46, 190
- silicon accelerometer based on thermopiles, 46, 201
- performance limitations of surface-machined accelerometers fabricated in polysilicon gate material, 46, 205

### A.c. magnetic-field measurement

- a.c. magnetic-field measurement using the fluxgate, 46, 307

### Acoustic impedance

- analysis of the influence of the surface wettability on the quartz sensor response, 47, 357

### Acoustics

- passivation of the interdigital transducers of acoustic sensors based on surface localized HPSWs for measurements in liquids, 47, 353

### Acoustic sensors

- small piezoresistive silicon microphones specially designed for the characterization of turbulent gas flows, 46, 151
- low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, 46, 156

### Adaptive quantization

- adaptive quantization and fault detection in smart sensors, 47, 530

### Airbags

- airbag application: a microsystem including a silicon capacitive accelerometer, CMOS switched capacitor electronics and true self-test capability, 46, 190

### Air pollution

- spectrally selective gas cell for electrooptical infrared compact multigas sensor, 47, 417

### Aluminium

- infrared thermopile sensors with high sensitivity and very low temperature coefficient, 47, 422

### Aluminium nitride

- AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, 46, 179

### Anisotropic etching

- anisotropic etching of germanium, 46, 35

### Anodic bonding

- selection of glass, anodic bonding conditions and material compatibility for silicon-glass capacitive sensors, 46, 113

### Anti-collision processes

- telemetric sensors by microwave interferometry, 46, 239

### Array transducer

- an integrated array transducer receiver for ultrasound imaging, 47, 542

### Atomic force microscopy

- AFM imaging with an xy-micropositioner with integrated tip, 47, 562

### Automotives

- p(VDF-TrFE) copolymer sensor for passive IR detection in automotives, 47, 399
- pulsed LIDAR for obstacle detection in the automotive field: the measurement of reflectance range data in scene analysis, 47, 497

### Bimorph actuator

- excimer laser ablation of PZT thin films on silicon cantilever beams, 46, 104

### Biotechnology

- fabrication of electrode arrays in the quarter micron regime for biotechnological applications, 46, 66

### Bipolar magnetotransistors

- magnetic sensors continue to advance towards perfection, 46, 273

### Bonding conditions

- influence of the bonding conditions on the response of capacitive pressure sensors, 46, 121

### Boron

- long-term stability of silicon bridge oscillators fabricated using the boron etch stop, 46, 51
- piezoresistance of boron-doped PECVD and LPCVD polycrystalline silicon films, 46, 166

### Bridge oscillators

- long-term stability of silicon bridge oscillators fabricated using the boron etch stop, 46, 51

### Bulk micromachining

- a novel resonant silicon accelerometer in bulk-micromachining technology, 46, 185

### Capacitive coupling

- capacitively coupled front end, 47, 534

### Capacitive sensors

- influence of the bonding conditions on the response of capacitive pressure sensors, 46, 121
- a surface micromachined capacitive absolute pressure sensor array on a glass substrate, 46, 125
- finite-element modelling as a tool for designing capacitive position sensors, 46, 266

### Charge-coupled devices

- a CMOS/CCD image sensor for 2D real time motion estimation, 46, 251

### Chirped grating couplers

- replicated chirped waveguide gratings for optical sensing applications, 47, 482

### CMOS

- a technology for the monolithic fabrication of a pressure sensor and related circuitry, 46, 133
- airbag application: a microsystem including a silicon capacitive accelerometer, CMOS switched capacitor electronics and true self-test capability, 46, 190

- a photosensor array for spectrophotometry, 47, 449
- CMOS cells
  - a monolithically integrated sensor system using sensor-specific CMOS cells, 46, 137
- CMOS-compatible sensors
  - novel fully CMOS-compatible vacuum sensor, 46, 143
- CMOS layers
  - determination of the heat capacity of CMOS layers for optimal CMOS sensor design, 47, 428
- CMOS processes
  - thermally actuated CMOS micromirrors, 47, 572
  - micromechanics compatible with an 0.8  $\mu\text{m}$  CMOS process, 47, 593
- Cobalt
  - photolithographic structuring of giant magnetoresistive Co-Cu multilayers, 46, 302
- Coercivity measurements
  - automatic quality control of small relays and their magnetic parts, 47, 588
- Collision avoidance
  - pulsed LIDAR for obstacle detection in the automotive field: the measurement of reflectance range data in scene analysis, 47, 497
- Colour detection
  - an array of TFT-addressed light sensors to detect grey shades and colours, 47, 453
- Computer-aided design
  - tailored modeling: a way to the 'virtual microtransducer fab'?, 47, 603
  - a CAD environment for the numerical simulation of integrated piezoresistive transducers, 47, 618
  - first steps towards design, simulation, modelling and fabrication of electrostatic micromotors, 47, 645
- Copolymer
  - p(VDF-TrFE) copolymer sensor for passive IR detection in automobiles, 47, 399
- Copolymers
  - the thin film copolymer approach for monolithic thermal focal plane array, 47, 403
- Copper
  - photolithographic structuring of giant magnetoresistive Co-Cu multilayers, 46, 302
- Copper indium diselenide
  - copper indium diselenide single-crystal and thin-film infrared sensors, 47, 395
- Corner cube reflector
  - micromachined corner cube reflectors as a communication link, 47, 580
- Cryogenic measurements
  - an absolute cryogenic magnetometer, 46, 312
- Crystals
  - copper indium diselenide single-crystal and thin-film infrared sensors, 47, 395
  - design of a single-crystal silicon-based micromechanical resonator using finite element simulations, 47, 623
- Data transponders
  - a microwave powered data transponder, 46, 244
- Design
  - a VDF/TrFE copolymer on silicon pyroelectric sensor: design considerations and experiments, 47, 408
- Design tools
  - design of smart sensors: towards an integration of design tools, 47, 509
- Digital control
  - aspects of intelligent sensor reconfiguration, 47, 525
- Digital sensors
  - a digital vision sensor, 47, 439
- Diodes
  - large-area image sensing using amorphous silicon nip diodes, 47, 444
- Displacement sensors
  - magnetoresistive thick film sensor for linear displacements, 46, 261
- Document contact imaging
  - large-area image sensing using amorphous silicon nip diodes, 47, 444
- Electrochemical etching
  - electrochemical etch-stop characteristics of TMAH:IPA solutions, 46, 22
- Electrochemical etch-stop
  - low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, 46, 156
- Electrode arrays
  - fabrication of electrode arrays in the quarter micron regime for biotechnological applications, 46, 66
- Electrostatic micromotors
  - first steps towards the fabrication of electrostatic micromotors using SOG, 46, 82
  - first steps towards design, simulation, modelling and fabrication of electrostatic micromotors, 47, 645
- Electrostatic wobble motors
  - numerical simulations of planar electrostatic wobble motors, 47, 640
- Etching
  - atomic scale simulation of silicon etched in aqueous KOH solution, 46, 27
- European programmes
  - microsystems—the European approach, 46, 1
- European strategy
  - microsystems—the European approach, 46, 1
- Exponentially damped sinusoids
  - transfer function determination of micromechanical structures using a time domain analysis and resonance method, 46, 58
- Failure
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, 46, 171
- Faraday effect
  - transmission loss compensation for Faraday effect fibre optic sensors, 47, 487
- Fault detection
  - adaptive quantization and fault detection in smart sensors, 47, 530
- Fibre optics
  - fibre optic sensor: integration with micromachined devices, 47, 463
  - fibre-optic accelerometer using silicon micromachining techniques, 47, 470
  - transmission loss compensation for Faraday effect fibre optic sensors, 47, 487
- Finite-element modelling
  - finite-element modelling as a tool for designing capacitive position sensors, 46, 266
- Flowmeter
  - non-intrusive time-of-flight flowmeter—parametric estimation and optimisation, 47, 364
- Flow sensors
  - a fast liquid flow sensor with thermal isolation by oxide-filled trenches, 47, 373
  - intelligent gas-mixture flow sensor, 47, 380

- Fluid density
  - fluid density sensor based on resonance vibration, 47, 327
- Fluid flow
  - multi-parameter detection in fluid flows, 47, 369
- Fluid sensors
  - sensor for determining the water content of oil-in-water emulsion by specific admittance measurement, 47, 337
- Fluxgate sensors
  - a.c. magnetic-field measurement using the fluxgate, 46, 307
- Force/torque sensors
  - design of a ring-shaped three-axis micro force/torque sensor, 46, 225
- Force-balanced capacitors
  - optimization of voltage-controlled thin-film microstructures, 47, 613
- Force transducer
  - micro-scale force-transducer system to quantify isolated heart cell contractile characteristics, 46, 233
- Gallium arsenide
  - the use of ion implantation for micromachining GaAs for sensor applications, 46, 30
- Galvanoplasting
  - magnetically driven microstructures fabricated with multilayer electroplating, 46, 98
- Gas mixtures
  - intelligent gas-mixture flow sensor, 47, 380
- Gas-phase properties
  - a double optical-fiber probe to characterize gas-phase properties in gas-liquid contactors, 47, 349
- Gas sensors
  - porous silicon membranes for gas-sensor applications, 46, 43
- Germanium
  - anisotropic etching of germanium, 46, 35
- Glass
  - interferometric displacement sensor made by integrated optics on glass, 47, 478
- Glass selection
  - selection of glass, anodic bonding conditions and material compatibility for silicon-glass capacitive sensors, 46, 113
- Gravimetric sensors
  - AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, 46, 179
- Hall microsensors
  - magnetic sensors continue to advance towards perfection, 46, 273
- Hall sensors
  - high-sensitivity Hall sensors using GaInAs/AlInAs pseudomorphic heterostructures, 46, 298
- Hearing devices
  - a microminiature electromagnetic middle-ear implant hearing device, 47, 584
- Heart cells
  - micro-scale force-transducer system to quantify isolated heart cell contractile characteristics, 46, 233
- High-temperature strain gauges
  - characterization of tantalum oxynitride thin films as high-temperature strain gauges, 46, 218
- Horizontally polarized shear waves
  - passivation of the interdigital transducers of acoustic sensors based on surface localized HPSWs for measurements in liquids, 47, 353
- Humidity
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, 46, 171
- Humidity measurement
  - a distributed optical-fibre sensing system for multi-point humidity measurement, 47, 491
- Hybrid sensors
  - a multiplexed network of optically powered, addressed and interrogated hybrid resonant sensors, 47, 474
- Image converters
  - trimming smart imagers for an image converter with a non-volatile analog memory, 47, 456
- Image sensors
  - large-area image sensing using amorphous silicon nip diodes, 47, 444
- Inclination sensors
  - inclination sensing and magnetic signal transmission for trench wall constructions, 46, 320
- Infrared sensors
  - copper indium diselenide single-crystal and thin-film infrared sensors, 47, 395
  - silicon micromachined infrared sensor with tunable wavelength selectivity for application in infrared spectroscopy, 47, 413
  - spectrally selective gas cell for electrooptical infrared compact multigas sensor, 47, 417
  - infrared thermopile sensors with high sensitivity and very low temperature coefficient, 47, 422
  - infrared thermopile sensor based on AlGaAs-GaAs micromachining, 47, 432
- Instabilities
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, 46, 171
- Integrated optics
  - interferometric displacement sensor made by integrated optics on glass, 47, 478
  - replicated chirped waveguide gratings for optical sensing applications, 47, 482
- Intelligent sensors
  - intelligent gas-mixture flow sensor, 47, 380
  - aspects of intelligent sensor reconfiguration, 47, 525
- Interferometer
  - interferometric displacement sensor made by integrated optics on glass, 47, 478
- Ion exchange
  - interferometric displacement sensor made by integrated optics on glass, 47, 478
- Ion implantation
  - SOI 'SIMOX'; from bulk to surface micromachining, a new age for silicon sensors and actuators, 46, 8
  - the use of ion implantation for micromachining GaAs for sensor applications, 46, 30
- Isopropyl alcohol
  - electrochemical etch-stop characteristics of TMAH:IPA solutions, 46, 22
- Kerr effect
  - magneto-optical position-resolving sensor for displacement measurements between light beams, 46, 257
- Lamb waves
  - AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, 46, 179
- Laser ablation
  - excimer laser ablation of PZT thin films on silicon cantilever beams, 46, 104
- Lead lanthanum zirconate titanate
  - a thick-film pyroelectric PLZT ceramic sensor, 47, 391

- LED array
  - a LED-array-based range-imaging sensor for fast three-dimensional shape measurements, 47, 501
- LIDAR
  - pulsed LIDAR for obstacle detection in the automotive field: the measurement of reflectance range data in scene analysis, 47, 497
- LIGA process
  - high-precision readout circuit for LIGA acceleration sensors, 46, 196
- Light sensors
  - an array of TFT-addressed light sensors to detect grey shades and colours, 47, 453
- Liquids
  - passivation of the interdigital transducers of acoustic sensors based on surface localized HPSWs for measurements in liquids, 47, 353
- Lithography
  - microfabrication of complex surface topographies using grey-tone lithography, 46, 89
- Localisation
  - telemetric sensors by microwave interferometry, 46, 239
- Lubricants
  - optimization of lubricants for silica micromotors, 47, 598
- Magnetically driven microstructures
  - magnetically driven microstructures fabricated with multilayer electroplating, 46, 98
- Magnetic circuits
  - automatic quality control of small relays and their magnetic parts, 47, 588
- Magnetic sensors
  - a magnetic sensor with current-controlled sensitivity and resolution, 46, 284
  - signal processing for magnetic micro torque sensors, 46, 315
- Magnetodiodes
  - magnetic sensors continue to advance towards perfection, 46, 273
- Magnetometers
  - an absolute cryogenic magnetometer, 46, 312
- Magneto-optical sensors
  - magneto-optical position-resolving sensor for displacement measurements between light beams, 46, 257
- Magnetoresistive multilayers
  - photolithographic structuring of giant magnetoresistive Co-Cu multilayers, 46, 302
- Magnetoresistive sensors
  - magnetoresistive thick film sensor for linear displacements, 46, 261
- Magnetotransistors
  - micromachined magnetotransistors, 46, 280
- Markets for microsystems
  - microsystems—the European approach, 46, 1
- Measurement credibility
  - estimation of the credibility of measurements using parametric models, 47, 537
- Membranes
  - static and dynamic characterization of Si membranes, 46, 47
- Microfabrication
  - microfabrication of complex surface topographies using grey-tone lithography, 46, 89
- Microfluid systems
  - transient measurements on miniaturized diaphragm pumps in microfluid systems, 47, 557
- Micromachined devices
  - fibre optic sensor: integration with micromachined devices, 47, 463
- Micromachining
  - SOI 'SIMOX'; from bulk to surface micromachining, a new age for silicon sensors and actuators, 46, 8
  - deep and fast plasma etching for silicon micromachining, 46, 17
  - the use of ion implantation for micromachining GaAs for sensor applications, 46, 30
  - long-term stability of silicon bridge oscillators fabricated using the boron etch stop, 46, 51
  - magnetically driven microstructures fabricated with multilayer electroplating, 46, 98
  - a new micromachined silicon high-accuracy pressure sensor, 46, 129
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, 46, 147
  - micromachined magnetotransistors, 46, 280
  - modelling of a micromachined torque sensor, 46, 294
  - infrared thermopile sensor based on AlGaAs-GaAs micromachining, 47, 432
- Micromechanical resonator
  - design of a single-crystal silicon-based micromechanical resonator using finite element simulations, 47, 623
- Micromechanical structures
  - transfer function determination of micromechanical structures using a time domain analysis and resonance method, 46, 58
- Micromechanics
  - micro-scale force-transducer system to quantify isolated heart cell contractile characteristics, 46, 233
  - micromechanics compatible with an 0.8  $\mu\text{m}$  CMOS process, 47, 593
- Micromembranes
  - ultrasonic measurements with micromembranes, 46, 62
- Micromirrors
  - thermally actuated CMOS micromirrors, 47, 572
  - thermomechanical modeling of an actuated micromirror, 47, 632
- Micromotors
  - optimization of lubricants for silica micromotors, 47, 598
- Microphones
  - low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, 46, 156
- Micro resonant sensors
  - ultrasonic measurements with micromembranes, 46, 62
- Microsensors
  - high-temperature polysilicon pressure microsensor, 46, 161
  - AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, 46, 179
  - design of a ring-shaped three-axis micro force/torque sensor, 46, 225
  - signal processing for magnetic micro torque sensors, 46, 315
- Microstructures
  - spin deposition of polymers over holes and cavities, 46, 95
  - magnetically driven microstructures fabricated with multilayer electroplating, 46, 98
  - MICROTHERM: a program for thermal modelling of microstructures, 47, 637
- Microsystems
  - thin membranes with optimized thermomechanical properties for microsystem applications, 46, 38
- Microvalves
  - magnetically driven microstructures fabricated with multilayer electroplating, 46, 98
- Microwave interferometry
  - telemetric sensors by microwave interferometry, 46, 239

- Microwaves
  - a microwave powered data transponder, 46, 244
- Micro-windmill
  - micro-windmill for optical scanning and flow measurement, 47, 576
- Miniaturization
  - replicated chirped waveguide gratings for optical sensing applications, 47, 482
- Miniaturized diaphragm pump
  - transient measurements on miniaturized diaphragm pumps in microfluid systems, 47, 557
- Modelling
  - silicon piezoresistivity modelling: application to the simulation of MOSFETs, 47, 628
  - numerical simulations of planar electrostatic wobble motors, 47, 640
- Modelling methodology
  - design of smart sensors: towards an integration of design tools, 47, 509
- Moisture
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, 46, 171
- Monolithically integrated pressure sensors
  - a monolithically integrated sensor system using sensor-specific CMOS cells, 46, 137
- Monolithic thermal focal plane array
  - the thin film copolymer approach for monolithic thermal focal plane array, 47, 403
- Monte Carlo simulation
  - atomic scale simulation of silicon etched in aqueous KOH solution, 46, 27
- MOSFETs
  - silicon piezoresistivity modelling: application to the simulation of MOSFETs, 47, 628
- Multi-collector magnetotransistors
  - full three-dimensional numerical analysis of multi-collector magnetotransistors with directional sensitivity, 46, 289
- Multigas sensor
  - spectrally selective gas cell for electrooptical infrared compact multigas sensor, 47, 417
- Multimode fibres
  - fibre-optic accelerometer using silicon micromachining techniques, 47, 470
- Multiple-wafer devices
  - design and construction of a multiple-wafer integrated micro-mechanical optical actuator, 47, 566
- Multisensing
  - magnetic sensors continue to advance towards perfection, 46, 273
- Neural networks
  - a sensor for on-line measurement of the viscosity of non-Newtonian fluids using a neural network approach, 47, 332
- NEXUS
  - microsystems—the European approach, 46, 1
- Noise
  - capacitively coupled front end, 47, 534
- Non-intrusive measuring
  - non-intrusive time-of-flight flowmeter—parametric estimation and optimisation, 47, 364
- Non-Newtonian fluids
  - a sensor for on-line measurement of the viscosity of non-Newtonian fluids using a neural network approach, 47, 332
- Numerical analysis
  - full three-dimensional numerical analysis of multi-collector magnetotransistors with directional sensitivity, 46, 289
- Oil-in-water emulsions
  - sensor for determining the water content of oil-in-water emulsion by specific admittance measurement, 47, 337
- On-line measurement
  - a sensor for on-line measurement of the viscosity of non-Newtonian fluids using a neural network approach, 47, 332
- Optical actuators
  - design and construction of a multiple-wafer integrated micro-mechanical optical actuator, 47, 566
- Optical arrays
  - a 2D photosensor array with integrated charge amplifier, 46, 247
  - a CMOS/CCD image sensor for 2D real time motion estimation, 46, 251
- Optical-fiber probe
  - a double optical-fiber probe to characterize gas-phase properties in gas-liquid contactors, 47, 349
- Optical-fibre sensors
  - a distributed optical-fibre sensing system for multi-point humidity measurement, 47, 491
- Optical scanning
  - micro-windmill for optical scanning and flow measurement, 47, 576
- Optical sensors
  - optical sensors for the characterization of powder mixtures, 47, 494
- Optimisation
  - non-intrusive time-of-flight flowmeter—parametric estimation and optimisation, 47, 364
- Parametric estimation
  - non-intrusive time-of-flight flowmeter—parametric estimation and optimisation, 47, 364
- Parametric models
  - estimation of the credibility of measurements using parametric models, 47, 537
- Passivation
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, 46, 171
- Passive infrared detection
  - p(VDF-TrFE) copolymer sensor for passive IR detection in automobiles, 47, 399
- Permanent magnetic pendulums
  - inclination sensing and magnetic signal transmission for trench wall constructions, 46, 320
- Photolithography
  - photolithographic structuring of giant magnetoresistive Co-Cu multilayers, 46, 302
- Photosensor array
  - a photosensor array for spectrophotometry, 47, 449
- Photosensors
  - a 2D photosensor array with integrated charge amplifier, 46, 247
- Piezoelectric films
  - excimer laser ablation of PZT thin films on silicon cantilever beams, 46, 104
- Piezoelectric sensors
  - a piezoelectric bimorph static pressure sensor, 46, 176
- Piezoresistance
  - piezoresistance of boron-doped PECVD and LPCVD polycrystalline silicon films, 46, 166
- Piezoresistive effect
  - low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, 46, 156
- Piezoresistive pressure sensors
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, 46, 147

- Piezoresistive sensors
  - ambient humidity and moisture—a decisive failure source in piezoresistive sensors, **46**, 171
  - design of a ring-shaped three-axis micro force/torque sensor, **46**, 225
- Piezoresistive silicon microphones
  - small piezoresistive silicon microphones specially designed for the characterization of turbulent gas flows, **46**, 151
- Piezoresistive transducers
  - a CAD environment for the numerical simulation of integrated piezoresistive transducers, **47**, 618
- Piezoresistivity
  - silicon piezoresistivity modelling: application to the simulation of MOSFETs, **47**, 628
- Piezoresistors
  - rapid thermal processing of piezoresistive polycrystalline silicon films: an innovative technology for low cost pressure sensor fabrication, **46**, 76
- Planar fluid pump
  - a valve-less planar fluid pump with two pump chambers, **47**, 549
- Plasma etching
  - deep and fast plasma etching for silicon micromachining, **46**, 17
- Polycrystalline silicon
  - rapid thermal processing of piezoresistive polycrystalline silicon films: an innovative technology for low cost pressure sensor fabrication, **46**, 76
- Polymeric sensing films
  - polymeric sensing films: new horizons in sensorics?, **46**, 85
- Polymer membranes
  - thin membranes with optimized thermomechanical properties for microsystem applications, **46**, 38
- Polymers
  - spin deposition of polymers over holes and cavities, **46**, 95
  - thin film strain gauges on polymers: main characteristics, **46**, 213
- Polysilicon
  - high-temperature polysilicon pressure microsensor, **46**, 161
  - performance limitations of surface-machined accelerometers fabricated in polysilicon gate material, **46**, 205
  - infrared thermopile sensors with high sensitivity and very low temperature coefficient, **47**, 422
- Polysilicon pressure sensors
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, **46**, 147
- Porous silicon
  - porous silicon membranes for gas-sensor applications, **46**, 43
- Position-resolving sensors
  - magneto-optical position-resolving sensor for displacement measurements between light beams, **46**, 257
- Position sensors
  - finite-element modelling as a tool for designing capacitive position sensors, **46**, 266
- Powder characterization
  - optical sensors for the characterization of powder mixtures, **47**, 493
- Pressure sensors
  - rapid thermal processing of piezoresistive polycrystalline silicon films: an innovative technology for low cost pressure sensor fabrication, **46**, 76
  - influence of the bonding conditions on the response of capacitive pressure sensors, **46**, 121
  - a surface micromachined capacitive absolute pressure sensor array on a glass substrate, **46**, 125
  - a new micromachined silicon high-accuracy pressure sensor, **46**, 129
  - a technology for the monolithic fabrication of a pressure sensor and related circuitry, **46**, 133
  - novel fully CMOS-compatible vacuum sensor, **46**, 143
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, **46**, 147
  - low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, **46**, 156
  - high-temperature polysilicon pressure microsensor, **46**, 161
  - a piezoelectric bimorph static pressure sensor, **46**, 176
  - AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, **46**, 179
- Pseudomorphic heterostructures
  - high-sensitivity Hall sensors using GaInAs/AlInAs pseudomorphic heterostructures, **46**, 298
- Pumps
  - a valve-less planar fluid pump with two pump chambers, **47**, 549
- Pyroelectric sensors
  - a thick-film pyroelectric PLZT ceramic sensor, **47**, 391
- Quality control
  - automatic quality control of small relays and their magnetic parts, **47**, 588
- Quartz sensors
  - analysis of the influence of the surface wettability on the quartz sensor response, **47**, 357
- Range-imaging sensors
  - a LED-array-based range-imaging sensor for fast three-dimensional shape measurements, **47**, 501
- Readout circuits
  - high-precision readout circuit for LIGA acceleration sensors, **46**, 196
- Refraction measurement
  - magneto-optical position-resolving sensor for displacement measurements between light beams, **46**, 257
- Relays
  - automatic quality control of small relays and their magnetic parts, **47**, 585
- Resonance vibration
  - fluid density sensor based on resonance vibration, **47**, 327
- Resonant sensors
  - a multiplexed network of optically powered, addressed and interrogated hybrid resonant sensors, **47**, 474
- Ring-core transformers
  - inclination sensing and magnetic signal transmission for trench wall constructions, **46**, 320
- Roughness
  - atomic scale simulation of silicon etched in aqueous KOH solution, **46**, 27
- Self-calibration
  - aspects of intelligent sensor reconfiguration, **47**, 525
- Self-test
  - aspects of intelligent sensor reconfiguration, **47**, 525
- Sensor arrays
  - a surface micromachined capacitive absolute pressure sensor array on a glass substrate, **46**, 125
- Sensor systems
  - a monolithically integrated sensor system using sensor-specific CMOS cells, **46**, 137
- Shape measurement
  - a LED-array-based range-imaging sensor for fast three-dimensional shape measurements, **47**, 501
- Signal processing
  - signal processing for magnetic micro torque sensors, **46**, 315

## Silica

- optimization of lubricants for silica micromotors, 47, 598

## Silicon

- deep and fast plasma etching for silicon micromachining, 46, 17
- electrochemical etch-stop characteristics of TMAH:IPA solutions, 46, 22
- atomic scale simulation of silicon etched in aqueous KOH solution, 46, 27
- static and dynamic characterization of Si membranes, 46, 47
- long-term stability of silicon bridge oscillators fabricated using the boron etch stop, 46, 51
- a new micromachined silicon high-accuracy pressure sensor, 46, 129
- low pressure acoustic sensors for airborne sound with piezoresistive monocrystalline silicon and electrochemically etched diaphragms, 46, 156
- AlN/silicon Lamb-wave microsensors for pressure and gravimetric measurements, 46, 179
- a novel resonant silicon accelerometer in bulk-micromachining technology, 46, 185
- airbag application: a microsystem including a silicon capacitive accelerometer, CMOS switched capacitor electronics and true self-test capability, 46, 190
- silicon accelerometer based on thermopiles, 46, 201
- large-area image sensing using amorphous silicon nip diodes, 47, 444
- considerations for the design of smart sensors, 47, 516
- design of a single-crystal silicon-based micromechanical resonator using finite element simulations, 47, 623
- silicon piezoresistivity modelling: application to the simulation of MOSFETs, 47, 628
- Silicon actuators
  - SOI 'SIMOX'; from bulk to surface micromachining, a new age for silicon sensors and actuators, 46, 8
- Silicon anemometer
  - potential for a smart sensor based on an integrated silicon anemometer, 47, 342
- Silicon cantilever beams
  - excimer laser ablation of PZT thin films on silicon cantilever beams, 46, 104
- Silicon carbide
  - electrical characterization of SiC for high-temperature thermal-sensor applications, 46, 71
- Silicon direct bonding
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, 46, 147
- Silicon fusion bonding
  - evaluation of the fabrication of pressure sensors using bulk micromachining before IC processing, 46, 147
- Silicon-glass sensors
  - selection of glass, anodic bonding conditions and material compatibility for silicon-glass capacitive sensors, 46, 113
- Silicon membrane
  - a fast liquid flow sensor with thermal isolation by oxide-filled trenches, 47, 373
- Silicon micromachining
  - silicon micromachined infrared sensor with tunable wavelength selectivity for application in infrared spectroscopy, 47, 413
  - fibre-optic accelerometer using silicon micromachining techniques, 47, 470
- Silicon-on-insulator structures
  - piezoresistance of boron-doped PECVD and LPCVD polycrystalline silicon films, 46, 166
- Silicon pyroelectric sensor
  - a VDF/TrFE copolymer on silicon pyroelectric sensor: design considerations and experiments, 47, 408

## Silicon tube

- fluid density sensor based on resonance vibration, 47, 327

## Simulations

- design of a single-crystal silicon-based micromechanical resonator using finite element simulations, 47, 623
- silicon piezoresistivity modelling: application to the simulation of MOSFETs, 47, 628
- numerical simulations of planar electrostatic wobble motors, 47, 640

## Smart sensors

- potential for a smart sensor based on an integrated silicon anemometer, 47, 342
- design of smart sensors: towards an integration of design tools, 47, 509
- considerations for the design of smart sensors, 47, 516
- considerations for the utilization of smart sensors, 47, 521
- adaptive quantization and fault detection in smart sensors, 47, 530

## SOI sensors

- SOI 'SIMOX'; from bulk to surface micromachining, a new age for silicon sensors and actuators, 46, 8

## Specific admittance measurements

- sensor for determining the water content of oil-in-water emulsion by specific admittance measurement, 47, 337

## Spectrally selective gas cell

- spectrally selective gas cell for electrooptical infrared compact multigas sensor, 47, 417

## Spectrophotometry

- a photosensor array for spectrophotometry, 47, 449

## Spin deposition

- spin deposition of polymers over holes and cavities, 46, 95

## Spin-on glass

- first steps towards the fabrication of electrostatic micromotors using SOG, 46, 82

## Strain gauges

- thick-film weldable strain gauges, 46, 222

## Surface micromachining

- a surface micromachined capacitive absolute pressure sensor array on a glass substrate, 46, 125
- performance limitations of surface-machined accelerometers fabricated in polysilicon gate material, 46, 205

## Surface topography

- microfabrication of complex surface topographies using grey-tone lithography, 46, 89

## Surface wettability

- analysis of the influence of the surface wettability on the quartz sensor response, 47, 357

## Tailored modeling

- tailored modeling: a way to the 'virtual microtransducer fab?', 47, 603

## Tantalum oxynitride

- characterization of tantalum oxynitride thin films as high-temperature strain gauges, 46, 218

## Telemetric sensors

- telemetric sensors by microwave interferometry, 46, 239

## Tetramethyl ammonium hydroxide

- electrochemical etch-stop characteristics of TMAH:IPA solutions, 46, 22

## TFT

- an array of TFT-addressed light sensors to detect grey shades and colours, 47, 453

## Thermal flow sensor

- multi-parameter detection in fluid flows, 47, 369

## Thermal isolation

- a fast liquid flow sensor with thermal isolation by oxide-filled trenches, 47, 373

## Thermal modelling

MICROTHERM: a program for thermal modelling of microstructures, 47, 637

## Thermal processing

rapid thermal processing of piezoresistive polycrystalline silicon films: an innovative technology for low cost pressure sensor fabrication, 46, 76

## Thermal sensors

electrical characterization of SiC for high-temperature thermal-sensor applications, 46, 71  
improvement of thermal sensors based on  $\text{Bi}_2\text{Te}_3$ ,  $\text{Sb}_2\text{Te}_3$  and  $\text{Bi}_{0.1}\text{Sb}_{1.9}\text{Te}_3$ , 47, 387

## Thermoelectric properties

improvement of thermal sensors based on  $\text{Bi}_2\text{Te}_3$ ,  $\text{Sb}_2\text{Te}_3$  and  $\text{Bi}_{0.1}\text{Sb}_{1.9}\text{Te}_3$ , 47, 387

## Thermomechanical modeling

thermomechanical modeling of an actuated micromirror, 47, 632

## Thermophysical thin-film properties

determination of the heat capacity of CMOS layers for optimal CMOS sensor design, 47, 428

## Thermopiles

silicon accelerometer based on thermopiles, 46, 201  
improvement of thermal sensors based on  $\text{Bi}_2\text{Te}_3$ ,  $\text{Sb}_2\text{Te}_3$  and  $\text{Bi}_{0.1}\text{Sb}_{1.9}\text{Te}_3$ , 47, 387  
infrared thermopile sensors with high sensitivity and very low temperature coefficient, 47, 422  
infrared thermopile sensor based on AlGaAs-GaAs micromachining, 47, 432

## Thick-film sensors

thick-film weldable strain gauges, 46, 222  
magnetoresistive thick film sensor for linear displacements, 46, 261  
a thick-film pyroelectric PLZT ceramic sensor, 47, 391

## Thickness shear mode

analysis of the influence of the surface wettability on the quartz sensor response, 47, 357

## Thin-film microstructures

optimization of voltage-controlled thin-film microstructures, 47, 613

## Thin films

characterization of tantalum oxynitride thin films as high-temperature strain gauges, 46, 218  
copper indium diselenide single-crystal and thin-film infrared sensors, 47, 395  
the thin film copolymer approach for monolithic thermal focal plane array, 47, 403  
determination of the heat capacity of CMOS layers for optimal CMOS sensor design, 47, 428

## Thin-film strain gauges

thin film strain gauges on polymers: main characteristics, 46, 213

## Torque sensors

modelling of a micromachined torque sensor, 46, 294  
signal processing for magnetic micro torque sensors, 46, 315

## Transfer function determination

transfer function determination of micromechanical structures using a time domain analysis and resonance method, 46, 58

## Transmission loss compensation

transmission loss compensation for Faraday effect fibre optic sensors, 47, 487

## Trench wall gripper

inclination sensing and magnetic signal transmission for trench wall constructions, 46, 320

## Trimming

trimming smart imagers for an image converter with a non-volatile analog memory, 47, 456

## Trimorph cantilevers

thermally actuated CMOS micromirrors, 47, 572

## Tunnel-effect memory

trimming smart imagers for an image converter with a non-volatile analog memory, 47, 456

## Turbulence measurement

small piezoresistive silicon microphones specially designed for the characterization of turbulent gas flows, 46, 151

## Ultrasound

ultrasonic measurements with micromembranes, 46, 62

## Ultrasound imaging

an integrated array transducer receiver for ultrasound imaging, 47, 542

## UV lithography

magnetically driven microstructures fabricated with multilayer electroplating, 46, 98

## VDF/TrFE copolymer

a VDF/TrFE copolymer on silicon pyroelectric sensor: design considerations and experiments, 47, 408

## Vision sensors

a digital vision sensor, 47, 439

## Wheatstone bridge

potential for a smart sensor based on an integrated silicon anemometer, 47, 342

## Xy-micropositioner

AFM imaging with an xy-micropositioner with integrated tip, 47, 562

1  
5

5